Discures & Disorders of thehiver. Ji2 7399 F 39

V where these Jyngstowns are absent there is Often orothing but preternatural verilement, and where they present the liver in one Case which I examine, after exhibited no One Enosh of Disease. It Drydenhain describes a dry colora mon = his in which nothing is discharged ymards and downwards but air. This his I believe for our facts formuly mentioned is a Secretion from the liver.

lh

1

-0

tes

att

6

00

1

. /

I stade have trates of the hisatri flate of bener. I shall now take hotice of its chances
the rest discuse I named viz. There more the office I have apigned to the liver, you will readily engrosse its healthy Pations are of great Consequence to life, and that enough courses act upon it so as toin-- drue disense bodyhus. Les cretion of Bile madring to be able to all the filmer brounding or distributed at the secretion of bile with fithings, brounding or distributed a ferror of Depression, & monthly a course and of this course are a leader of the force of the Course and of this course are in the live of arbent figure. The first Use of these houghed liquoss is hup: - pily characterized by the fable of Broundhers

who is said to have stoted fire from howen. Their effects are as happiles Characterised by the punishment of this theft. It was - a Valtur prying upon his liver. Intemperance in cating, especially high seasoned to Vat aminal food. Henre we so often enut with this discuse in fullfuler. The large liver of the turkey is said to be owing to its exup in enting foul aliment. 3 great heat. Homes it ours envet frequently in warm countries & hot weather. 4 biolint paper oxusise. 5 The motion of a this at fea, at The bile in this case is thomas into the Stomach. 6 hislent anotions of she mind,

Its fremening in the Small wortherselfates. 12 It is the evanescent Sympstom of andry lam nog the liver. 13 Dr. Prost fays he has often found Worms in the lives of persons that have been affected with this form of hepatic discuse. Hertaps they exist there in order to forward to leform the discuse by Should be p: 6 A

The Remodes are It if the pulse befull Calonel - Blistes to wrists Hide - Why - a Vigetable diet, and crewise - a with Chimate and tomis poudiciers. The west disease 1209 p88 of minted Copy.

-

1000

l

000

4

9

-

particularly angep. 1/ 6 The good. This discharge of bile is so come = 2mm in the good that De Dumin Supposes it to be the good to be feated in the hier, I that gruty hympstoins wery where arise from it. The opinionis enonumo, and is refuter hot only by the his boy of goods levet by the amplogies of all other drocuses. of Contasians in the head. of this there are many runds in the history of medicine. of The lite of the Rattlesnahe 1 & of some Other Hits Inches. It is always attented when hath is industry a puting ofbile. 9 a disensed eterns. mm gotted' case. lo Obstanctio Spleen. 11 miamuta - house Consmon in wassey Counting or in where they don't produce they satistis. V

+ It is this we himpid this restinbling wa -tes which I have hypposed, formed the invenence discharge of water from the promys which is called Diabetes agrooms. - In the case I have related it was a Diality 224 this they browelp in watery Starles - It is water branch of liver. & have bure ensures to post as + This whitish malter I believe to be Chyle to be chyle for the bish prehap for hours it was that from the transfer to all imperfers 7 h Chyle the basis of traffic that former A of Dianhau which is called the Celian flux is nothing but a Pischarge of in-- me feet they to from the boursto. The 1 Strots in this case are ahrays white.

It is a line timber al diabetes Chylorus.

The Chyler instead of line absorbed to the line absor by the Custouts & passing out of the System by The kidneys - lationy glands - lings of our w papers only this the bowels . When 10 it is discharged by the kingsups it is a Menal Diabetes Chylosers.

The bils which yare The las There is a great difference in the Grantity of the life which is this discharged.

from the liver are dunk colombe black plant wis water

within and ish - whitish or chylonomy the last of:

with and hisspied as Rock mention of this city. I etes 40 = cured in the late 13: huller Shave seen him discharge advers quarts of it a time and with but little pain. Upon examing his gall bladder after draith, we found it filled with the same kind of himpaid water that he has been in the habit of discharging for many years there were the real fronts gall stones in his gall bladder which had polished themselves by their attrition your cach other. They are now in the possession of De Physich. To the matter to: 4 This peternatural Durchon beaution of Bile, has been called by many names.

h 2 1 6 i. 1 A STATE OF THE STA i 1 1 1 1 1 2 a L 10 mg

When it back Affects the Stomach with runner, or borniting, persons are fait to be biliono. When it creates a diamhea it has her called an lapabilie flux. Considering the satura of the liquor this discharged is a part of the Chyle framed by the 2? process of nature for that purpose, I think it with hiver, it with the called a Diabetes of the liver, it will be gratity of the natural from it working to the gratity of the natural from it worked by the gratity of the difficult to tell when hipatie dwhen Cystie like is discharged. The latter I promune is always wrenessed with the former, and they must musparily the mixed in the alimentary canal. can better stepatie file can be discharged alone, and when the cuertion of bile is prevented by an obstruction of the in this disease.

bih -0 Market of the color of the second of the second And the state of t 红 7 the same the same of the

bihous, Chylin Dialectes of theliver of confined to the Durati-- on of the amore which exite it, but it is Often of a Chronic Entine, and continues for anany years. Hours It is hometimes The limited it attenta with women, in the lines of persons whose his have scretio an ermonal quantity of bile. It the friend careou for the existence of worms, which I formuly aprigned ! it with tis to commenperfluous Chyle, - then we can amount at once for this existence in this disease - It is to consume the redundant the secretio by the lights liver viscose A The Remedies for this Distretes

was and the state of the same of and the Biggs of the grant the total of modern at the property of 290 sould not the first of the said of the sai 1 4 The state of the s * ch 1-2 1 (1) 7 n --1

The I or palliative remedies are gentles 2 gentle and purges. The former thould be used rarely and continuely. I think I have from them Do mischief in aphysicians who resorted to them may but or ten Days. The purges thanks be magnesia-Rhubart & Calomel & now then Jalap Halowel. I a draught of for water many morning. This is highly commended by Daunders.
This is highly commended by Diheting it most redundant, and most airid, that is in the Envising. To som a small trans-- ful to half a point, may be taken at a time. The heat of the water gives it a envoleratity tomis power.

mich with the same of the same -1 an in 4 The many of the same of the later

If hasting. This thinks be from as completees the System can bear, and at least once a week. Recollect Dr Twankling practice , & the fact of Redi, of famine rendering the bowels clean deventities. & Blisters. I have rised them with great advan - tage. It is for mobably in this dist Diambau from. Vois cause, that Blisters do so much service in the manner formerly mentioned. The It or endical Remodis are I avoiding all its exiting causes ; particularly the two must common causes - big ardent Spirits, and fat aminal food. 2 Reduced diet. The formach francis its healthy actions its healthy in this disease, forms on it is harden the influence of a preternatural appelites hence the double, and diseased labors of the hier. The less romishing the diet, the better . Rice potatoes - Dry bread de Should be prefored with a small quantity of fish, or han meats. 3 If the Hornach be affected with Dypapsia,

V the Liver is often of Sometimes affected with a li what I have called a Lienting - that is a prochange of its Chyle in to char ches crube aftale that it papes and of the limels in a Diamher known how the hame of hepatic Bling. I have respected whet is called Edian that is withing but the figuration is but chyle unmixed with bour. this Discuse are unimparced. It's Remotes are Dyelition - particularly a spare westable diet . In Hells case.

which is Often the case, all the semedies for it thould be proceiled . The more imperfulty the formuch performs its labor, the more impufed thyle it will give to be pufuted by the liver The eniment waters have often performed great cures of This Diocase - they thingthen the Stomach, & palliate the dies Lymptons, by disheting the bill , who falfor ande 4 Frictions upon the perion of the tives or gently thundating plasters. 5 Calonnel in such doses as to gentlyto affect the would. The disease is always suspended by this medicine, and when aid a by other, remedies generally cures. - Auco by hot one, and havelling to a cold of

cea

t.

10 exe to It is industry the course that induce Dialecto of the liver, when protrace. = to for a length of time. I lot Countries, than in horthern abitudes, from exitab! being so much expended by heat that the vepels in the lives are unable to envit the tones of Inflam from The impressions that induce it. They desime

This Discuse is often confined to the Direction of the comore which exists it, but it is often Of a Chypic of the liver. The to orner forming to the wine of the one I have described, that is were to the one of the one of the described, that is mention is an obstruction of the derection of the forms all the forms execution of bile ! It soms often formed the formed the first stage of yellow twin. Drunkards. after having been red, syellow for a crumber of years, they gradually hume pale, from an absence of list in their blood. This pallid appearance in Aninhards is generally a formmer of Death. It washs the highest grade of dunherances, as white does the highest of grade of heat. agricult much frequent attach, of abutumenal fiver. 3 It me with the petities, If It formationes attends Scrophula. The The Obstinction is attended with Difficult degrees

sus

be known by the face assuming not sometimes a pale Colon West librorise ends in abrophy + The liver populses in health buttul Justility, and this it even loses by discuse. some about often exists in it for by The its fine by The taken. - out detection, on in flind: Food - It belongs to dream 6 his orders. th

of havones, from that of Dry flesh up to Schinnis. The liver in this torgind stature:

- wouldes the brain in futnity. I have being the whole liver called it, after Driesson lapitalgia. All the called it, after Driesson lapitalgia. 1 herito grades It is attended with somepain, Costivenes - and when enlarged, with difficult decubitus on the leftside. It continues in earne indances for years, but it generally in ends in less time in Derpy from the engine of the Lymphatics of the livery on the inab ell oe. being runerous in this viseus, the upation fia. of their actions, materally produces that disease the from the Seat itoengries, in the abdomen. - These Obstructions in the liver are more figurent than is supposed, especially as they often exist with but little or no intargement, diselles besides Droppy! Itstres From the important

V you will prescrive at once gent. the Look descending Scale of lowers while produce the discases and disorders of the liver which I have dearibed, and all them derived in great measure from the same carra irz miasmata. They are I a diffused bilions feres. 2 Whente and Chronic Idepatitis - or a sufforated biliours four,
to present had ach instead of intermitting four,
3 preference termal Secretion it excition
from of lights to be patie bile, mind with lystic
from of title helpatic bile, mind with lystic to of Chyle and water from the lives - To Which water, or blow not coagelable. & and certification of both Scentron dexention in Hypitulgia. They are all theldren of me parent-Viz minusath . - Jake notice all those forms of discuses are formationes Construed .

part the liver performs in preparing the worrishment of the Gody, I think it prohere - ale that the hispension of its office, is often the cause of atrophy - granasmus - or a waste ille of the holy without fiver - I am Ince Dys = 22 - peposia - and pulmonery Consumption are produced by its inability to apriotion Do its outs in the apigned to it in the animal Ouronny. in paper this the bowels. tic The Rundies for Mepitalgia - are 1 a Canstie to the external region of the hier. I have once sure the lover recupitated by vn this results , I am incipient Dropsythus ina presentes and. - Polly Riman. is. a the Cold Bath. The late Denomnantie

t all kinds is probably from its remu. = ming unknown, & unsuspected Obstrue. times in the hier. Schimus - to lectuated as Thysatalyia -Serogslande - by Remodies to be mentioned V Its hympstones yellowness all over the body but most manifest in the eyes languar - Dyssepion of Spirits - continuents white Itools - win & then Dinasheed from = bly when from Obstantion of Cystic duct couly) - itching tof the this - a close fewer, but frequently a national pubse beheat -Costweres is suit to occur chiefly in young people - but less preguently in oto people, De souly in Orrest and. - Mefflynne, no bitter

remedy in Bristol in Brunshamie. 3 Trickons and Stimulating applications to the region of the liver. 4 Calomel in small doses continued for monthes Dyeans. a fabrication is said to to ia. haim in it when it wises from Schirmes. The quat Whility of & in Chronic Discuss of + 6 Travelling, when gentle & pessisted infor years, At moderate intervals has often und this chis case. & flimulants stories of all hinds, especially Chalybrates a 3th Discover of disorder of the liver is : cas Janurice of bu_ Its courses are transient behinnie. The bilions o'n tramitting Colie or any other cause, ne, Ineforme from contiguous parts - as the Colon when distinded with four, or the Mens in pregnancy - the Chronic, or ter

V or Utimes 5th Distantion of propone of Utimes in of James is from the common Duct becoming 2. improvious or growing up to from dis. = ense. & matters in The Duodeneur buch as wagnitutes with obstructing the Isupages The roo bill into it. Take notice grut the obstruction is only in the agatistica. commondut. D? Borthor monroe mentions that he ones som the cysticalust so closed by two yall stones that no dis cond paps this it & yet the national died with-court Januarie. De Auther food som the services absence of Januarice where the cyptic Duct was Obstructed lez a gall stone as large as abouting. When as Jamedie occurs from an obstruction of this duct only, it is supposed the the obstrue-ting communicates imprefacous from the insinsible cystic duct to the organisitely sursible termination of the Low win

Av

1

permanent causes are injocatio bile i on 2. gall stones Blistructing the cystic i on words in the paraces. I when the hystron is often in those mets. I then have been in the series of the seated in the Cystin dust only - in which tere, the the romishment of the body you on as usual, I have be often seethe dis-- case continue for many years without impairing health or life. There have been many disputes whether bile has exist in the blood. D-Roebneh has clearly moned its presence in the blood in a faun. - Dice by several experiments. There have buen se disputes whether the luties conveyed & into the blood by absorption, orregus itation - It is probable in both ways. Shink it probable the black journaire as it is called,

is.

e

us

ig.

seu

1

& Deftoll has given us an " account of three cases of batal farmeric in which ho obstruction of any kind was dis includ in the Cyptic or hepatic Duts. The Obstration was probably from a tonic fpason which closed after death. + DItall Jours he own sawy the Castilages Homes tinged with Bill, while the brain I humors of the eyes were of this natural Color.

is produced by the absorption of bile the rude. no black by long stagnation in the gall blasser. Barbalely the Clarkweeps of the african may have been diring originally from this cance at a time Detall has given trains Fersons of all ages are embject to the foundice I have sur it in mer boom Infants. It attachs the less marly alike. Out of 100 patients whom Dr Heberden attended in a giventime 52 wire men 448 boomen. Objects are allown coloured in the eye by this discase, oning to the bile tinging the turica Conjunction only it not the humors of the eyes - ever is the color of the trugue from of the taste of the felina affects by the bile which floats in the blood with of aysters ormith have their natural taste, but other alconents & Jours liquids sometimes and exite a brêter faste on the tongue.

V Ha to fiver & fine pube attend, US: - I have blid tooice in this discuse with herefi in the Phospotal. The Historication here is durings anied with inflammation. lope of you saw an undy in Ja Lawrence , A be the year 1805 I blid a more bannest; half a down times in a jamendice attended for a troughost free I'm time blood. Her belood was But I did not auchon. Her blood was uniformly is considered as afaming. It is so I he line, It would have for being performed by it . Jans now bluding a moderaley for this discose attended with general deolosy. Inb: 12.1811.

the Remoties of Januaries mothers of the Remotes by the Canses. If from Spann (in which it is always transient) ognate-Cascalines - the warm Balter & afterwards tonics. - If from the prefune of contigue -ousparts - removing thumby punges if in the Colon - and Dynesping the Uters if bon Jorgnany. - Effrom all andbelowskin of bile from its proceeding - by emetics -- gentle purges + mineral waters tous Josep and menny. - If from gall ftomes E to allas the obstructed dust of hoshs of cystic dust -Eliticity. Defeate of manyland welets Calles gernedy I shall mention offer serve.

- his presently

& The juice of the gandy you has hun formed notful if this discuse as well as in Corns of disorder in the liver. Dizinment prombed How of the cotract of it every year for is hepatic Motoretions. Them were great benefit from the jupie of it die

The following prescription has been found uniful in removing hilions concutions in the cysbill Common duct. Potash ammarabie a 3/2 Castile toap 3/2 Brandy life from 2/2 to a fact wine glass full to be taken three times a day & return to toot The faindie It is countined connected with in: - flamation in the livers in we the factor is full on time. Identity is income. I used this undy unal titues with houp in our hogital about the yest 1803 & a farmous aurings pried with fiver or and the pulse is gloways alaming of best a more annest with this from of Januarie last way . I aled her often - her blood was uniforsity list - & would't not act upon her the hied. Refer to 2001

1 V. There is an Disorder in The liver which I have forgetimes met with which I shall talk as the transforter of the Whith I would talk a continuents. of the -lation of bile in the gull bladder, & a Stagna -tion of it from a lospid flats of its fibes. - The floots are white in this Tase, but are Josh colonied when Discharged by active purges. It is to be uned by purges a such enedicines as existe the gallbladder. menny thruto be preferred for this purpose.

Ver - opportation Jall Hones belong to the Discuses & th Disorders of the Liver.. They are found from the bile, and we tec of a way differ from each offer in the following particulars. I in fire-being to na larger than a your of law hunte pear, up 10. t to a small egg. 2 hr figure being rough & angular, with highly tic polished from their frictions with each other. W 3 he enember being from one to 114. That inmense member of galistones Deflattuck . titis were found in the gallbludder of a person in som ingland by Drefeatt of Grotton in majouhufsets. In height - from five yourins to zi zij did going a gall stone of the latter wight is menti:
- one by I Lettown in the fold: of the medical Inemois of the Imdical Souty of London. In this consistence - Thry are roft of the Consistence of batton, to and marly as solid as fine

26 O The diver exhibits the following apo. - pravance after trath in the dis cases oldisorders which have been described. after Thepatitio & Depotitionale -1 great es furthermention - 2 ad herein to the diampohingon this Which smatter paper into the hongs, las menus of adhesion of the diagohingen de hope independent aboutses in his whang or pro-lings. 3 he large abouts filled with pins bile of blood 4 communication between this abscept dall the parts iteto which the mutter emphis itself. These have been mestioned abrusty. 3 great langestion of blood in the hiver 6 water great enlargement of the hiver from longestion with and without by patros in one cases 27 pounds, 7 An Abor a Dimenis hed fire of the liver. This is taken while of by D'Invenders. Jones San absorption of the fubstance of y his constant of the fubstances. If and the fubstances of an all the first of the fubstances of an all the fubstances of an all the fubstances of the fubstances Color like the Splen. 4.0 Letis General on

partial ferophilos tuneves; The coats of 20: The gall bladder schrisons Ibony . 12 W quat dilatation of the hypatis - lystie. and Common Duets to an inch in Diameter. you 13 Round - or angular flower in the Gall bladder, or in its duets. When thereis but Over it is wound - when more than come they are angular & generally polished. 14 gangsene. One Capeonly of this flate of The liver is upon second, Perhaps a bloody ter congestion was mistature for it . MBailix us. days he never dans a Case of it. It houses l'an

V & have this gent: from a lusee mays of long inical Rubbish, and from my own Observations delivered to your a short air of all the discases othis orders of the liver. But you are not to exput to find them in the distinct the flates in w. I have described them, In no Viscus and do discases & disorders anastarnose Eigdmay he allowed the asjorefrom Imore Them in the liver. Theat They are blende, they much coch other - they alternate with cach other - bething Innbrally moderne cach other - 29: Hypoti gallotimes Agall flower Bry lown - Inviso water these changes numonly - forget this barries Prosology to the puber, and prescribe for the the hystern flate of the hysterne fhould it very a down times a day.

Lines a minimale of this kind is morded by DB ond in one of the level: of the London and; this: & Inquinis Vi Schimus - death 20 1 Discuses & 1 Disorder, of the Ppleen. From the important use I have asuited to this views tisses this from all their cause must be attended with injurious Consequents ne The lystem. If the eschispation of it protuce 20 Diocase in the Hornach - hier - howels - prijes 7 I genetal organs - and suptimes of the bloodrepels, in pour part of the body it to cease to perform its 4 the parts that have been named, and leton to so Rumpies he directed to remove its Obstructions. These the hi Troso of: - pringer - frictions- W onesury. - I believe all its discuses &

V but anothing to Ballie seldom inflormed. hume it is rarely formed in a flate of Suppomention, De If In the Use of the lament, aphysician burnes the Swant of nature, that is the will soire the bush of nature, that is the will soire the bush of her basan of ornewoods of her basan of ornewoods of her basan of ornewoods of redundant, and translations blood, he will promptly statches forth his hand, and into a bowl, received the overflowing Presum into a bowl, a received the overflowing Presum into a bowl, and thereby someohis enistress from destruction. In the month of april I alterded the diffection of a woman by I thewart in whom Whe Spleen was suppurated - part of the matter pointe outwards, but the ignest map of it was emptied this an atherion to y Diamph into the hongs in which was an absulp. The has expectorated pur before her death.

15 lu 02

disorders are like those of the liver-producedly D. to some having too much too to do - that is, tis, by the righet of dipletion, particularly If, by which means it is ofuer distanded - obstructed or suptimed - of hand said from DeBailie that the Iplant will retain from 3 to 4 founds te of blood without having its texture in the least aftered - But we often find it filled with Double that quantily of blood, or we see the effects of times its it in the enlargement to y or eight formals. In 4 all there cases reptireal fire of wight hall £ these cases - the there is reason to believe Death e, has been induced by the want of sufficient lof.

I the discose has been originally an ounte one.

I the discose has been originally an ownte one.

Let no man hereafter dury in , the case of the lament. In doing to, he will rebel against the Un Wisdom & goomeso of the en Inleen by The in of the lancet, he will the tis 1 the tay was when from the hand was

The Remedies for its blotmestions tenlergements show the same for Hepatic Obstructions. Constis to the he have been found highly esseful in the east Judio. Disportions exhibit the Jollowing morbid appearances of this biscus after death. I great conlargement -2 Respoture - 3 Reachy a Diminished fire. 5 Johnson of pretinational Lottness. I Rosely Supportation of I believe never mortification. Look hull to liver hugaret A in all I from Discusion Rumander Dull furthety -